

ITEM 4.8

CITY MANAGER'S REPORT OCTOBER 11, 2021 CITY COUNCIL REGULAR MEETING

ITEM: **APPROVE HEAVY EQUIPMENT PURCHASES FOR THE PARKS, RECREATION AND MAINTENANCE SERVICES DEPARTMENT**

RECOMMENDATION: **Adopt a Resolution Approving the Purchase of Seventeen (17) Units of Heavy Equipment for the Parks, Recreation and Maintenance Services Department**

SUMMARY:

The City is currently in need of replacing old equipment and securing new equipment to better meet the needs of the day-to-day operations of the City as well as to be better able to respond to emergencies that may arise.

Staff has researched multiple companies and received multiple quotes for each unit of equipment. The equipment listed below would best meet the needs of the Maintenance Services Division. Staff requests Council approve the purchase of the equipment listed under the Recommendation section below totaling \$303,286.

BACKGROUND:

As the City continues to grow rapidly, the City's needs continue to grow as well. The City must obtain and maintain the appropriate equipment and tools to allow City employees to perform required tasks. The City must also be able to replace equipment that is at the end of its lifespan.

In accordance with LMC 2.36 regarding purchasing, staff has researched multiple companies and received three (3) quotes for each piece of equipment and has chosen to recommend Council approves the purchases based on the lowest price quotes. The pricing associated with the purchase Chevrolet 3500 Spray Rig was provided by American Chevrolet through the Government Pricing Contract and was the lowest of the quotes received. Staff has determined that the equipment below would best meet the needs of the City and has the best return on the City's investment by having equipment in stock as opposed to renting the equipment or using outside contractors.

RECOMMENDATION:

Purchase of the following:

- Two (2) 3000 Watt Portable Generators \$ 3,298
- One (1) 5000 Watt Portable Generator \$ 2,299
- One (1) Tow-behind Aerator \$ 9,614
- One (1) Anchor Core Drill with Motor \$ 3,159
- One (1) Tow-behind Compressor Trailer \$ 22,950

CITY MANAGER’S REPORT **PAGE 2**
OCTOBER 11, 2021 CITY COUNCIL REGULAR MEETING
APPROVE HEAVY EQUIPMENT PURCHASES FOR THE PARKS, RECREATION
AND MAINTENANCE SERVICES DEPARTMENT

• One (1) Concrete Walk Behind Saw	\$ 2,715
• One (1) Single Disc Grinder	\$ 5,070
• One (1) Edge Grinder	\$ 3,293
• One (1) Emergency Response Equipment	\$ 16,251
• One (1) Pole Saw	\$ 550
• One (1) Pressure Washer w/ Turbo Nozzle	\$ 686
• One (1) Seed Spreader	\$ 15,861
• One (1) Chevrolet 3500 Spray Rig	\$128,036
• One (1) Vacuum Excavator	\$ 62,938
• One (1) Water Pump w/ Hoses	\$ 1,524
	Tax \$ 25,042
	Total \$303,286

FISCAL IMPACT:

Sufficient funds have been included in the fiscal year 2021-22 adopted budget and will be paid from funds allocated in the Parks & Landscape Maintenance Division, Water Division, MWQCF Collection System Division and the CTF-MBR Sewer Division.

ATTACHMENTS:

- A. A Resolution of the City Council of the City of Lathrop Approving the Purchase of Seventeen (17) Units of Heavy Equipment for Parks, Recreation and Maintenance Services
- B. Quote – (2) 3000 Watt Portable Generator
- C. Quote – 5000 Watt Portable Generator
- D. Quote – Tow-behind Aerator
- E. Quote – Anchor Core Drill with Motor
- F. Quote – Tow-behind Compressor Trailer
- G. Quote – Concrete Walk Behind Saw
- H. Quote – Single Disc Grinder
- I. Quote – Edge Grinder
- J. Quote – Emergency Response Equipment
- K. Quote – Pole Saw
- L. Quote – Pressure Washer w/ Turbo Nozzle
- M. Quote – Seed Spreader
- N. Quote – Chevrolet 3500 Spray Rig
- O. Quote – Vacuum Excavator
- P. Quote - Water Pump w/ Hoses

CITY MANAGER'S REPORT
OCTOBER 11, 2021 CITY COUNCIL REGULAR MEETING
APPROVE HEAVY EQUIPMENT PURCHASES FOR THE PARKS, RECREATION
AND MAINTENANCE SERVICES DEPARTMENT


APPROVALS:



Zachary Jones
Director of Parks, Recreation and
Maintenance Services

10.5.2021


Date



Cari James
Director of Finance

10/6/2021

Date



Salvador Navarrete
City Attorney

10.6.2021

Date



Stephen J. Salvatore
City Manager

10.6.21

Date

RESOLUTION NO.**A RESOLUTION OF THE CITY COUNCIL OF THE CITY OF LATHROP APPROVING THE PURCHASE OF SEVENTEEN (17) UNITS OF HEAVY EQUIPMENT FOR PARKS, RECREATION AND MAINTENANCE SERVICES**

WHEREAS, the City operates and maintains an inventory of heavy equipment for the purpose of inspecting, maintaining and repairing City facilities and infrastructure; and

WHEREAS, seventeen (17) new units of heavy equipment are needed to replace existing equipment at the end of their service life and to obtain new equipment to increase productivity and better serve the City; and

WHEREAS, in accordance with LMC 2.36 regarding purchasing, staff has researched multiple companies and received three (3) quotes for each piece of equipment and has chosen the lowest price quotes; and

WHEREAS, the pricing associated with the purchase Chevrolet 3500 Spray Rig was provided by American Chevrolet through the Government Pricing Contract and was the lowest of the quotes received; and

WHEREAS, staff is requesting Council approval to place an order for the following equipment:

Purchase of the following:

• Two (2) 3000 Watt Portable Generators	\$	3,298
• One (1) 5000 Watt Portable Generator	\$	2,299
• One (1) Tow-behind Aerator	\$	9,614
• One (1) Anchor Core Drill with Motor	\$	3,159
• One (1) Tow-behind Compressor Trailer	\$	22,950
• One (1) Concrete Walk Behind Saw	\$	2,715
• One (1) Single Disc Grinder	\$	5,070
• One (1) Edge Grinder	\$	3,293
• One (1) Emergency Response Equipment	\$	16,251
• One (1) Pole Saw	\$	550
• One (1) Pressure Washer w/ Turbo Nozzle	\$	686
• One (1) Seed Spreader	\$	15,861
• One (1) Chevrolet 3500 for Spray Rig	\$	128,036
• One (1) Vacuum Excavator	\$	62,938
• One (1) Water Pump w/ Hoses	\$	1,524
	Tax	\$ 25,042
	Total	\$ 303,286

WHEREAS, sufficient funds have been included in the fiscal year 2021-22 adopted budget.

NOW, THEREFORE, BE IT RESOLVED that the City Council of the City of Lathrop does hereby approve the purchase of seventeen (17) units of heavy equipment from multiple companies for a total amount of \$303,286.

The foregoing resolution was passed and adopted this 11th day of October, 2021, by the following vote of the City Council, to wit:

AYES:

NOES:

ABSENT:


ABSTAIN:

Sonny Dhaliwal, Mayor

ATTEST:

APPROVED AS TO FORM:

Teresa Vargas, City Clerk




Salvador Navarrete, City Attorney

Honda Power Equipment EB3000c

\$1,649.00

HONDA



Honda Power Equipment EB3000c

Request Info

- 📞 Quote by Phone
- 👤 Make Offer
- 📄 Request Brochure
- 💰 Get Pre-Qualified
- ➔ Value Your Trade
- 💰 Apply for Financing
- 🛡️ Insurance Quote

Description

Key Features

- 3000 watts, 120V
- Lightweight only 71 lbs
- Honda commercial OHV engine
- Exclusive CycloConverter technology
- Full GFCI protection
- OSHA worksite compliant - meets job site emission and safety requirements

Features

- Rated #1 by construction and industrial users, year after year. An independent survey of construction and industrial users has consistently rated Honda the #1 generator Why? Our legendary reputation for performance, durability, and reliability
- More power, less weight At only 71 lbs, the EB3000c is Honda's lightest industrial generator Honda's exclusive CycloConverter technology allows you to get more power with less weight
- Exclusive CycloConverter Technology Consistent power output CycloConverter technology uses a special CPU to create stable, high quality power with less weight, compared to a traditional generator
- Easy starting Honda commercial OHV engine Legendary Honda commercial-grade OHV engines are reliable, easy-to-start and incredibly

#1 Home Improvement Retailer

ATTACHMENT C



You're shopping ManteCA

OPEN until 10 pm

Delivering to 95336

Search




Cart | 0 items

Home / Outdoors / Outdoor Power Equipment / Generators / Portable Generators

Internet #206055770 Model #EB5000XK3 Store SKU #1001408180

Customers Who Viewed This Also Viewed


Exclusive



DEWALT 8,000-Watt Gasoline Powered Electric (368)

\$1169.00

Best Seller



Westinghouse WGen9500DF 12,500/9,500-Watt (5908)

\$999.00

HX SERIES



DUAL FUEL Duromax 13000/10500-Watt Dual Fuel Electric (180)

\$1799.00



Honda 1000-Watt Super Quiet Gasoline Powered (88)

\$899.00

Top Rated



DUROMAX 13000/10500-Watt Push Start


\$1599.00




Honda

Industrial 5000-Watt Gasoline Powered Portable Generator with GFCI Protection and iGX OHV Commercial Engine

(1) Questions & Answers (5)





Hover Image to Zoom

\$2299⁰⁰



\$384.00 /mo* suggested payments with 6 months* financing [Apply Now](#)

Live Chat

Feedback

How To Get it

This item is unavailable at ManteCA
[Check Nearby Stores](#)

Delivery is unavailable for this product

Product Overview

The EB5000 is the ultimate in portable, commercial-grade jobsite generators. Its heavy-duty construction is made to withstand the rigors of the industrial jobsite. It comes standard with a wheel kit, easy fold handles and a hanger kit with lifting eye. With a large 6.2 Gal. fuel tank, and a Honda iGX commercial engine with Oil Alert, you can be confident that this Honda generator will be ready to get the job done, anytime that you are.

Info & Guides

You will need Adobe® Acrobat® Reader to view PDF documents. [Download a free copy from the Adobe Web site.](#)

Sponsored Products

HX SERIES



DUAL FUEL

Duromax
13000/10500-Watt
Dual Fuel Electric

(180)

\$1799⁰⁰

Add To Cart



DUROMAX
13000/10500-Watt
Push Start Heavy-

~~\$2829~~
\$1599⁰⁰

Add To Cart




Pulsar 12,000-
Watt/9,500-Watt
Dual Fuel Portable

(605)

\$884⁷⁷

Add To Cart



Pulsar
6,580/5,500-Watt
Dual Fuel

(605)

\$599⁰⁰

Add To Cart

HX SERIES



DUAL FUEL

Duromax
12000/9500-Watt
Dual Fuel Electric

(181)

\$1599⁰⁰

Add To Cart

Live Chat

Feedback

Specifications

Dimensions

Product Height (in.)	30.4
Product Length (in.)	41.1
Product Width (in.)	27.8

Details

Application	Job Site
CA (CARB) Compliant	CARB Compliant
CO Shutoff Capable	Yes
Color Family	Red
Engine Displacement (cc)	389
Engine Make	Honda Engine
Features	Auto Idle Control, Automatic Voltage Regulation, CO Shutoff, Fuel Gauge, GFCI Outlet(s), Low Oil Shutdown, Muffler, OSHA Required GFCI Outlets
Fuel Tank Capacity (gallons)	6.2
Full load fuel consumption (gallons/hour)	1.3
Half-Load Run Time	11.2
Horsepower (hp)	11.7
Included	Wheel Kit
Operational Volume (dB)	72
Outlet Type	120/240 Single Phase
Power/Fuel Type	Gas & Oil Mix
Product Weight (lb.)	212
Warranty / Certifications	30-Day
Certifications and Listings	ANSI Certified, CARB Compliant, EPA Approved, OSHA Compliant, UL Recognized Recoil Start
Manufacturer Warranty	3 year 5000

Live Chat

Feedback

Customers Who Viewed This Also Viewed

Exclusive



Best Seller



HX SERIES



Top Rated





Date: August 25, 2021

Quotation for City of Lathrop

Quote No:627280-00

Prepared For: Lilly Liu	Quote No: 627280-00
City of Lathrop	iQuote No: 84444
PO Box 473	Sales Person: Kevin Eppich
Lathrop, CA 95330	kevin.eppich@turfstar.com
	(916) 709-7122

Sourcewell contract # 031121-TTC.

Summary

Configuration Name	Qty	Unit Price	Sub Total	Sales Tax	Total
010-686 Aerator	1	\$8,840.10	\$8,840.10	\$773.51	\$9,613.61
Totals:			\$8,840.10	\$773.51	\$9,613.61



Date: August 25, 2021

Quotation for City of Lathrop

Quote No:627280-00

Configuration Product Details
010-686 Aerator

Model	Product Description	Qty	Unit Price	Extended	Sales Tax	Total
44856	Aerator 686	1	\$8,363.94	\$8,363.94	\$731.85	\$9,095.79
108-9298	TINE-SPOON, OPEN 800	96	\$4.96	\$476.16	\$41.66	\$517.82
Totals:						\$9,613.61



Date: August 25, 2021

Quotation for City of Lathrop

Quote No:627280-00

Standard Terms and Conditions

Prices, including all finance options, are valid for 30 days from date of quotation. Open Account Terms are N30, subject to credit approval. Used and demo equipment is in high demand and availability is subject to change. Delivery is FOB Destination, unless otherwise stated

Office Locations

Northern California:

5646 W Barstow Ave Ste 104
Fresno, CA 93722
Fax: (559) 277-7123

2438 Radley Court
Hayward, CA 94545
Fax: (510) 785-3576

11373 Sunrise Gold Circle
Rancho Cordova, CA 95742
Fax: (800) 241-1997

Southern California:

79-253 Country Club Drive
Bermuda Dunes, CA 92203
Fax: (760) 345-4297

955 Beacon Street
Brea, CA 92821
Fax: (800) 775-8873

2110 La Mirada Ste 100
Vista, CA 92083
Fax: (760) 734-4285

Pacific Northwest:

11175 SW Elligsen Way
Sherwood, OR 97140
Ph: (503) 691-0250

5869 South 194th
Kent, WA 98032
Fax: (253) 872-6942

2824 East Garland
Spokane, WA 99207
Fax: (509) 483-7563



WARNING:

Cancer and Reproductive Harm-<http://www.P65Warnings.ca.gov>
For more information, please visit <http://www.ticoCAProp65.com>

CALIFORNIA SPARK ARRESTER WARNING

Operation of this equipment in the State of California may create sparks that can start fires around dry vegetation. A spark arrester may be required. The operator should contact local fire agencies for laws or regulations relating to fire prevention requirements.

TORO

Turf Aerator 686/687

TOW-BEHIND LARGE AREA AERATORS

FEATURES

- Productive 78" (198 cm) aeration swath
- Aerate up to 10 mph (16.1 km/h)
- Slicing and core aerating tines available
- 3-point (687) or tow type (686)

Productive Aeration. Simple Design.

The 686 and 687 Turf Aerators are an efficient and effective way to aerate large turf areas. Designed with 70 pound (31.75 kg) cast wheels and a unique floating head design, these aerators give excellent depth and ground following capabilities. For highly compacted or unusually uneven grounds, optional rear weights are available.



Toro Turf Aerator 686

Call your Toro distributor at 800-803-8676

TORO

Turf Aerators 686 & 687

The 686 and 687 Turf Aerators give excellent depth performance and follow ground contours, vertically and horizontally, like no other aerator available.



	TURF AERATOR 686, MODEL 44856	TURF AERATOR 687, MODEL 44867
CAST WHEELS	3 sets of 4, each set moves independently. 70 lbs. (32 kg), 13" (33 cm) diameter.	
AERATING SWATH	78" (198 cm)	78" (198 cm)
TINES	Choice of 1/2" (12.7 mm) or 3/4" (19 mm) open or closed lines. 4" (10 cm) and 6" (15 cm) slicing blades.	
PATTERN	6" (15 cm) forward. 3" (8 cm) lateral	
HITCH	Drop pin, low type with hydraulic cylinder for lift, hand pump standard.	3 pt., Category 1
OPERATING SPEED	1-10 mph (1.6-16.1 km/h)	1-10 mph (1.6-16.1 km/h)
LENGTH	78" (198 cm)	48" (122 cm)
WIDTH	90" (229 cm)	82" (208 cm)
HEIGHT	Approx. 40" (102 cm)	
OPTIONS	Weights: 35 lbs. (16 kg) each, 2 maximum per coring head. Tractor Remote Kit, Model 68-608-3521. Note: Includes weights, but additional weights can be added.	Weights: 35 lbs. (16 kg) each, 2 maximum per coring head; set of 3. Note: Includes weights, but additional weights can be added.
SHIPPING WEIGHT	1,420 lbs. (644 kg)	1,300 lbs. (590 kg)
WARRANTY	Two-year limited warranty. Refer to the Operator's Manual for further details.	

*Specifications and design subject to change without notice. Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in design, required attachments and safety features. Consult your local Toro Distributor.





Now Accepting

Attachment E



Now Offering
FREE SHIPPING
On Orders Over **\$175**

[More Details \(/Pages/shipping\)](#)

NO SALES TAX
Except Michigan Orders

[More Details \(/Pages/shipping\)](#)

Menu



(/account)

[1] (/cart)

YOUR CART

Product	Price	Quantity	Total
---------	-------	----------	-------

[M5 Complete Anchor Core Drill Rig \(/products/m5-complete-anchor-core-drill-rig?variant=15054760411185\)](/products/m5-complete-anchor-core-drill-rig?variant=15054760411185)



Motor: CB744

\$3,159.00

1

\$3,159.00

EDIT

[REMOVE \(/CART/CHANGE?LINE=1&QUANTITY=0\)](/CART/CHANGE?LINE=1&QUANTITY=0)

[REMOVE \(/CART/CHANGE?LINE=1&QUANTITY=0\)](/CART/CHANGE?LINE=1&QUANTITY=0)

1

UPDATE


Email *

Email

Add a note to your order

Subtotal \$3,159.00

Taxes and [shipping \(/policies/shipping-policy\)](/policies/shipping-policy) calculated at checkout



CAPITAL AIR TOOL, L.L.C.

1646 KATHLEEN AVE.
SACRAMENTO, CA 95815

P / F (916)925-5889

ESTIMATE


DATE	ESTIMATE NO.
7/7/2021	562

NAME / ADDRESS
City of Lathrop 2112 E. Louise Ave. Lathrop, CA 95330

Ship To
City of Lathrop 2112 E. Louise Ave. Lathrop, CA 95330

P.O. NO.	TERMS	SHIP VIA	REP	FOB
	Credit Card	Sac	HA	Will Call
ITEM	QTY	DESCRIPTION	COST	TOTAL
#D185T4F	1	Rotair D185T4F Towable Compressor. Kohler Diesel engine, 185cfm @ 100psi	19,500.00	19,500.00T
#50X34D	4	50' x 3/4", 250PSI supply hose w/Dixon Cpl.	78.85	315.40T
#F5048AA	1	Safety Air Blow Gun	198.50	198.50T
#8170022569	1	Chicago Pneumatic CPPG5.5, 5,500 Watt Generator	1,089.00	1,089.00T
		Sales Tax	8.75%	1,846.50
			TOTAL	522,949.40

Thank you for the opportunity to quote. Quote good for 30 days.



ATTACHMENT G

PRODUCT	SUBTOTAL
Water Tank Assembly (DS-18, DS-20, KL-18) × 1	\$205.39
High Performance Cured Concrete Blade × 1	\$174.60
SUBTOTAL	\$2,530.99
SHIPPING	<input checked="" type="radio"/> Free shipping
Orders using Next Day shipping must be received by 2pm EST for delivery the following business day.	<input type="radio"/> In-Person Pickup (Frederick, MD)
CA SALES TAX	\$183.50
TOTAL	\$2,714.49

Credit Card

VISA



Pay securely using your credit card.

Card Number *

.....

Expiration (MM/YY) *

MM / YY

Card Security Code *

CSC

Your personal data will be used to process your order, support your experience throughout this website, and for other purposes described in our

Orders with Next Day shipping must be submitted by 2pm EST for delivery on the following business day.

101 101 101 101 101



Shopping Cart

PayPal OR **PayPal CREDIT**

PROCEED TO CHECKOUT >

Product Name	Unit Price	Quantity	Subtotal
EDCO TG 10 10" 11HP Gas Honda Turbo Grinder 56600	\$1,592.25	1	\$1,592.25

[continue shopping](#)
 [add new item](#)
 [update shopping cart](#)
 [clear fields](#)

ESTIMATE SHIPPING AND TAX

Enter your destination to get a shipping estimate

DISCOUNT CODES

Enter your coupon code if you have one

Subtotal \$5,069.25
Tax \$443.58

GRAND TOTAL \$5,512.81



PRODUCT
Horsepower: N/A
Volt:

SUBTOTAL \$3,292.24

SHIPPING

Orders using Next Day shipping must be received by 2pm EST for delivery the following business day.

- Free shipping
- In-Person Pickup (Frederick, MD)

CA SALES TAX \$238.69

TOTAL \$3,530.92

Credit Card    

Pay securely using your credit card.

Card Number *

.....

Expiration (MM/YY) *


MM / YY

Card Security Code *

CSC

Your personal data will be used to process your order, support your experience throughout this website, and for other purposes described in our

Orders with Next Day shipping must be submitted by 2pm EST for delivery on the following business day.



Sierra Safety Company

215 Taylor Road
Newcastle, CA 95658
USA

QUOTATION

Quote Number: m2594
Quote Date: Sep 15, 2021
Page: 1

Voice: 916-663-2026
Fax: 916-663-1858

Quoted To:
CHECK SALES

Ship To:
ATTN: LILY

Sales Rep	Shipping Method	Good Thru	Payment Terms
FERREIRAM	WILL CALL	10/15/21	Prepaid


Quantity	Item	Description	Unit Price	Amount
1.00	RTMISCITEMSMF	CUSTOM BUILT 16' TRAILER, DUAL AXLES, BUILT TO CUSTOMER REQUEST TO HOLD 50 EA BARRICADE W/ LIGHTS, 50 PLAIN BARRICADE AND 100 EA CONES	16,250.00	16,250.00

PROP 65 ~ WARNING: Some products contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Subtotal	16,250.00
Sales Tax	1,178.13
Freight	
TOTAL	17,428.13

RETURN POLICY:

All returns must be accompanied by a receipt and will be subject to a 20% restocking fee. Custom orders, non- Stock items and hard hat sales are final. Goods held over 15 days are considered non-refundable.



ATTACHMENT K

(.xd3-mobile-nav)



Search...



(209) 825-0200 (tel +1(209) 825-0200)

852 N Main St | Manteca, CA 95336 (/locations)

ECHO PPT-2620H

\$549.99



ECHO PPT-2620H

Availability

Brochure

Manufacturer

ECHO

Model

PPT-2620H

Overview

Description

Increased power and greater cutting performance with an in-line handle.

Features

- 25.4 cc professional-grade two-stroke engine manufactured from magnesium
- Automatic, adjustable oiler to match cutting conditions
- Easy start-ability especially for re-starts in hot, dusty climates
- Large 20.6 fluid ounce fuel tank for extended run time between fill-ups
- Ribbed fiberglass outer shaft for rigidity and control
- Tool-less access for convenient in-field servicing
- Two-stage air filtration system dramatically increases cleaning capability and allows for longer maintenance intervals

Specifications

- Engine Displacement (cc): 25.4
- Length Extended (in): 146
- Engine Displacement (cu. in.): 1.55
- Optional Extension (ft): 4
- Carburetor: Rotary
- Bar Length (in): 12
- Starting System: Standard
- Dry Weight (lbs)¹: 17
- Fuel Capacity (fl. oz.): 20.6
- Oil Capacity (fl. oz.): 6.6
- Length Collapsed (in): 107
- Warranty: 2 yr commercial / 5 yr consumer

NOTES:

¹ Without bar and chain

Specs

▲ WARNING: Operating, servicing, and maintaining a passenger vehicle, an off-highway motor vehicle, or a recreational marine vessel can expose you to chemicals including engine exhaust, carbon monoxide, phthalates, and lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. To minimize exposure, avoid breathing exhaust, do not idle the engine except as necessary, service your vehicle or vessel in a well-ventilated area and wear gloves or wash your hands frequently when servicing your vehicle or vessel.

For more information go to <https://www.p65warnings.ca.gov/products/passenger-vehicle>
(<https://www.p65warnings.ca.gov/products/passenger-vehicle>) and <https://www.p65warnings.ca.gov/products/marine> (<https://www.p65warnings.ca.gov/products/marine>).

-
- ▶ [Contact Us](#)
 - ▶ [Hours](#)
 - ▶ [Find Us](#)
 - ▶ [Available Promotions](#)

[Home \(/\)](#) | [New Models \(/new-models\)](#) | [Privacy Policy \(/privacypolicy\)](#) | [Terms and Conditions \(/termsandconditions\)](#) | [Accessibility \(/accessibility\)](#) | [Site Map \(/sitemap\)](#)

© 2021 Cal-Central Equipment - Powered by ARI Network Services - ARI Responsive Websites (<https://arinet.com>)



Contactless Curbside Pickup!

What can we help you find?

Shop Tractor Supply App Gift Cards For Life Out Here Neighbor's Club Credit Center My TSC Store: Ripon CA Order Status Sign In / Email

Shopping Cart

Continue Shopping

Secure Checkout

PayPal

Pay

Cart Total: \$685.42

SIMPSON Oscillating Turbo Nozzle, Up to 3,600

PSI, 80143
SKU: 1117910



Subtotal: \$44.99

Quantity: 1

Remove from cart
Add to list

Contactless Curbside / Pickup in Store

Free Contactless Curbside / Pickup in Store
Available for Pickup Today

Standard Delivery

Delivery ZIP Code 95344
Ship within 24 hours.

Same Day Delivery

Delivered as soon as today if order is placed by 2:00 p.m.
You may also schedule your delivery day in checkout.

SIMPSON PowerShot 3600 PSI at 2.5 GPM
HONDA GX200 with AAA Industrial Triplex Pump
Cold Water Pro Gas Pressure Washer, 60995
SKU: 1390411



Sale: \$579.99
Was \$629.99 Save \$50.00

Quantity: 1

Remove from cart
Add to list

Protect Your Purchase
We'll fix it, replace it, or reimburse you for it.
[Learn More](#)

1 Year Service Plan \$109.99 Add
2 Year Service Plan \$149.99 Add

Note: This product cannot be shipped to AK HI

Tax Exemptions
Create a TSC Account or Sign In

+ Promo Code & Rewards

Promotions Applied:

Free Delivery Offer on Simpson Pressure Washers!



Neighbors Club members earn points on purchases like this one. Join the club today!


Order Summary

Subtotal (2 items)	\$624.98
Estimated Delivery	\$42.16
Delivery Discount	-\$30.19
Estimated Sales Tax	\$48.45
Total	\$685.42

Taxes, Delivery Fees, Discounts and Gift Cards will be applied during checkout.

Quote Id: 25108688

Prepared For:
CITY OF LATHROP



Prepared By: **Jeffrey Kerley**
Belkorp Ag, LLC
1120 W Charter Way
Stockton, CA 95206
Tel: 209-944-5714
Mobile Phone: 209-482-1081
Fax: 209-942-4346
Email: jkerley@belkorpag.com

Date: 23 August 2021

Offer Expires: 22 September 2021

Confidential



Quote Summary

Prepared For:
CITY OF LATHROP
390 TOWNE CENTRE DR
LATHROP, CA 95330

Prepared By:
Jeffrey Kerley
Belcorp Ag, LLC
1120 W Charter Way
Stockton, CA 95206
Phone: 209-944-5714
Mobile: 209-482-1081
jkerley@belkorpag.com

By signing this purchase order, buyer agrees to assume ownership and all associated risks when equipment is delivered, picked up, or invoiced, whichever comes first.

Quote Id: 25108688
Created On: 23 August 2021
Last Modified On: 23 August 2021
Expiration Date: 22 September 2021

Equipment Summary	Suggested List	Selling Price	Qty	Extended
Turfo 1550	\$ 17,456.00	\$ 15,853.57 X	1 =	\$ 15,853.57
Equipment Total				\$ 15,853.57

Quote Summary

Equipment Total	\$ 15,853.57
CA Tire Fee	\$ 7.00
Convenience CC Fee two and half percent	\$ 0.00
SubTotal	\$ 15,860.57
Sales Tax - (8.75%)	\$ 1,387.19
Est. Service Agreement Tax	\$ 0.00
Total	\$ 17,247.76
Down Payment	(0.00)
Rental Applied	(0.00)
Balance Due	\$ 17,247.76

Salesperson : X _____

Accepted By : X _____



JOHN DEERE

Selling Equipment

B1 BELKORP AG

Quote Id: 25108688

Customer: CITY OF LATHROP

Turfo 1550		
Hours:	0	Suggested List
Stock Number:		\$ 17,456.00
Code	Description	Qty
85829CA	WideSpin 1550 Tow Behind Broadcast Top Dresser	1
Standard Options - Per Unit		
1000	13HP Briggs & Stratton, Electric Start	1
2000	Adjustable Spinners	1
3000	Standard Controls	1
Other Charges		
	Freight	1
	Setup	1

Specifications

	TOW-BEHIND	TRUCK-MOUNTED
Model	<p style="text-align: center;">ENGINE POWERED 1550 Smart Control (#85028) 1550 Electronic Control (#85029)</p> <p style="text-align: center;">HYDRAULIC POWERED 1550 Smart Control (#85024) 1550 Electronic Control (#85025)</p>	<p>TORO, JOHN DEERE & JACOBSEN</p> <p style="text-align: center;">HYDRAULIC POWERED 1550 Smart Control (#85022) 1550 Electronic Control (#85023)</p>
Engine	<p>Engine Powered: 13 HP Briggs and Stratton</p> <p>Hydraulic Powered: n/a</p>	n/a
Operator Control	<p>Smart: 3-position switch, 4 programmable presets, onboard rate calculator, instantaneous belt and spinner speed control, instant throttle down control (Engine Powered)</p> <p>Electronic: Standard 3-position switch with manual control for spinner and belt speed</p>	<p>Smart: 3-position switch, 4 programmable presets, onboard rate calculator, instantaneous belt and spinner speed control</p> <p>Electronic: Standard 3-position switch with manual control for spinner and belt speed</p>
Empty Weight	<p>Engine Powered: 1,324 lbs (601 kg)</p> <p>Hydraulic Powered: 1,021 lbs (463 kg)</p>	710 lbs without mounting kit (322 Kg)
Hopper Capacity	21 ft ³ (0.59 m ³) struck level, 25 ft ³ (0.71 m ³) heaped	
Hopper Size	80" x 36.5" (2.03 x 0.92 m) at the top	
Spreading Width	12' up to 40' (2.7 up to 12 m)	
Spread Application	0.45 ft ³ per 1,000 ft ³ up to 12 ft ³ per 1,000 ft ³ using patented WideSprin Technology	
Topdressing Speed	Up to 8 MPH (12.8 km/h)	
Transport Speed	Up to 8 MPH (12.8 km/h)	
Conveyor Belt	18" (0.46 m) wide pebble surface composition with heavy duty polyester cord	
Metering Gate	Manually operated with Light Spread/Heavy Spread Calibrations	
Drive	<p>Engine Powered: Engine Powered Hydraulics</p> <p>Hydraulic Powered: Tow Vehicle Powered Hydraulics</p>	Truck Powered Hydraulics
Wheels	4 Ply 26.5 x 14.00 x 12 Turf	n/a
Warranty	3 years	
Options	<p>Trench Filling Attachment (#86150)</p> <p>Cross Conveyor Attachment (#86181)</p>	<p>Trench Filling Attachment (#86150)</p> <p>Cross Conveyor Attachment (#86181)</p> <p>Storage Stand (#86197)</p>



Specifications subject to change without notice

[LANDSCAPE PROFESSIONALS](#)

[GOLF COURSE](#)

[SPORTS TURF](#)




[Enter for a chance to WIN a Torrent 2 Debris Blower! Click for details.](#)



[← Continue Shopping](#)

FIND YOUR DEALER

GET A FREE CATALOG





WIDESPIN 1550 BROADCAST TOPDRESSER

Tired of doing wheel-to-wheel spreads, overlapping spreads, dealing with complicated mechanical adjustments and wasting time checking in with your crew to verify spread settings? The Widespin 1550 solves these problems and more. Available in tow behind & truck mount options.

Testing

#1 in topdressing for a

REQUEST A DEMO



Need Help? Receive a catalog, speak to a product expert or view a demonstration.

[VIDEO](#) [FEATURES](#) [SPECIFICATIONS](#)

Turfco Widespin 1550 topdresser



GET A FREE CATALOG FIND YOUR DEALER

GET A FREE CATALOG FIND YOUR DEALER

FEATURES


[OVERVIEW](#)

[KEY FEATURES](#)

Topdressing is key to helping your fields stay their best. Topdress to help level the field where minor variations are present, and to create a better growth environment for your turf and reduce thatch while improving conditions for safer play. From soil to sand, compost to crumb, wet or dry, our easy to operate, award winning topdressers always deliver a consistent spread.

Turfco's patented WideSpin™ technology takes topdressing control and precision to unprecedented levels—all while making operation even easier. Everything is easily adjustable for maximum control—belt speed, spinner speed, spinner angle and metering gate. And specially designed twin spinners provide a consistent spread, from super-light to heavy, and everything in between. The Widespin™ 1550 makes calculating and knowing your rates is easier. Adjusting settings is easier. Saving preferred settings is easier. Loading is easier. And getting the exact spread you want, every time, is easier.

- ✔ Patented controller gives you a wider range of rates to choose from and allows you to lock in your favorites using the controller's four presets.
- ✔ Hydraulic system and spinner design delivers a consistent, even spread. Go from a new, super-light application to heavy, and everything in between.
- ✔ Know your application rates, and determine how much material you need to budget — all for the first time ever with our on-board calculator
- ✔ Reduce the number of passes and increase productivity with WideSpin edge-to-edge applications.





SMART CONTROLLER

Know your application rates, calculate the rates you want, and determine how much material you need to budget — all for the first time ever with our on-board calculator. Smart Controller with four programmable presets and rate calculator allows you to make changes at the touch of a button and lock-in your rates.

LARGE HOPPER

Large, galvanized steel hopper can easily be filled with a front-end loader and requires fewer trips to refill. Load it with a wide variety of topdressing mixtures such as sand, compost, peat and humus, rye grass and blends, as well as crumb rubbers, gypsum, lime and calcine clays.



REDUCE NUMBER OF PASSES

Save time and increase the efficiency of your crew. Decrease the number of passes on your

fields by up to 720 times per year when compared to the wheel-to-wheel method. You get your fields done faster and your crew can move on to other tasks.

SPECIFICATIONS

Model	*Engine Powered* - 1550 Smart Control (#85828), 1550 Electronic Control (#85829) *Hydraulic Powered* - 1550 Smart Control (#85824), 1550 Electronic Control (#85825)
Warranty	3 Years
Engine / Models	Engine Powered: 13 HP Briggs and Stratton. Hydraulic Powered: n/a
Operator Control	Smart: 3-position switch; 4 programmable presets; onboard rate calculator; instantaneous belt and spinner speed control; instant throttle down control (Engine Powered) Electronic: Standard 3-position switch with manual control for spinner and belt speed
Weight	Engine Powered: 1,324 lbs (601 kg) Hydraulic Powered: 1,021 lbs (463 kg)
Hopper Capacity	21 ft ³ (0.59 m ³) struck level; 25 ft ³ (0.71 m ³) heaped
Hopper Size	80" x 36.5" (2.03 x 0.92 m) at the top
Spreading Width	12' up to 40' (2.7 up to 12 m)

Spread Application	0.45 ft ³ per 1,000 ft ³ up to 12 ft ³ per 1,000 ft ³
Ground Speed	Up to 8 MPH (12.8 km/h)
Conveyor Belt	18" (0.46 m) wide pebble surface composition with heavy-duty polyester cord
Metering Gate	Manually operated with Light Spread/Heavy Spread Calibrations
Drive	Engine Powered: Engine Powered Hydraulics/Hydraulic Powered: Tow Vehicle Powered Hydraulics
Wheels	4 Ply 26.5 x 14.00 x 12 Turf

FIND YOUR DEALER

GET A FREE CATALOG

SIGNUP FOR EXCLUSIVE SAVINGS, NEWS AND EXPERT TIPS.

SUBSCRIBE TO OUR NEWSLETTER

PRODUCTS

- Landscape Professionals
- Golf Course
- Sports Turf
- Request a Catalog

COMPANY

- About Us
- History
- Articles
- Careers

SERVICE & SUPPORT

- Contact Us
- Dealer Locator
- FAQ

CONTACT

Turfco
 1655 101st Ave NE,
 Blaine, MN 55449
 Support **800-679-8201**

Send Us a Message



Product Categories / Outdoor Equipment / Sprayers and Spreaders / Tow Behind Spreaders / Results for "Snowex" within Tow Behind Spreader

Sort & Filter

Showing results for "snowex tow behind +broadcast spreader"

View All Categories Related to Your Search >



Tow Behind Spreaders



Tailgate Spreaders



Drop and Broadcast Spreaders



Tailgate Spreader Accessories



Shoulder and Hand Spreaders

Tow Behind Spreaders

1 product

Shop for tow behind spreaders at Grainger. These pneumatic spreaders can be useful seeding tools to help dramatically cut down the time it takes to seed lawns and gardens. Also use them for spreading salt and sand on icy roads, driveways and walkways. Find the type and size of tow behind spreader that can help you get the job done at Grainger!

Purchased products

Sign in to view purchased products

Table List

Clear All Brand SNOWEX X

Tow Behind Spreaders



These spreaders are designed to be towed behind a vehicle to spread salt, sand, grass seed, and fertilizer. They feature industrial-duty construction with corrosion-resistant aluminum gears. Use to seed lawns and gardens, or to spread salt and sand on icy roads, driveways, and walkways.

Brands

SNOWEX

Item	Capacity	Wheel Type	Drop Type	Flow Control	Mount Type	Item #	Price
------	----------	------------	-----------	--------------	------------	--------	-------

	SNOWEX	Web Price
	Tow Behind Spreader, 3500 lb. Capacity, High Output Drop Type, Knobby Pneumatic Wheel Type	\$11,900.00 / each
Item # 5NTR1		This item requires special shipping, additional charges may apply.
Mfr Model # SP-7000		Ships from supplier. Expected to arrive on or before Wed, Sep 08 .
Catalog Page # 996		Ship to 95330
View Product Details		Qty 1 Add to Cart

Product availability is real-time basis and adjusted continuously. The product will be reserved for you when you complete your order. More



Vehicle: [Fleet] 2022 Chevrolet Silverado 3500HD CC (CK31403) 4WD Reg Cab 171" WB, 84.5" CA
Work Truck (Complete)

Quote Worksheet

	MSRP
Base Price	\$39,100.00
Dest Charge	\$1,695.00
Total Options	\$0.00
Subtotal	\$40,795.00
Spraytec spray body	\$96,225.00
Subtotal Pre-Tax Adjustments	\$96,225.00
Less Customer Discount	(\$8,984.00)
Subtotal Discount	(\$8,984.00)
Trade-In	\$0.00
Subtotal Trade-In	\$0.00
Taxable Price	\$128,036.00
Sales Tax	8.75% \$11,203.15
Subtotal Taxes	\$11,203.15
Subtotal Post-Tax Adjustments	\$0.00
Total Sales Price	\$139,239.15

Dealer Signature / Date

Customer Signature / Date

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 14870. Data Updated: Oct 6, 2021 1:20:00 AM PDT.



Investment Proposal (Quote)

RDO Equipment Co.
 3980 Research Drive
 Sacramento CA, 95838
 Phone: (916) 643-0999 - Fax: (916) 643-0998



Proposal for:
 CITY OF LATHROP
 2112 E Louise Ave
 LATHROP, CA, 95330

Investment Proposal Date: 7/7/2021
 Pricing Valid Until: 8/6/2021
 Deal Number: 1463585
 Customer Account#: 7200955
 Account Manager: Rick Draper
 Phone: (916) 880-0644
 Fax: 643-0998
 Email: RDraپر@rdoequipment.com

Equipment Information

Quantity	Serial Number Stock Number	Hours (approx.)	Status / Year / Make / Model Additional Items	Cash Price
1	TBD TBD	0	New 2021 VACTRON LP573XDT	\$61,381.00
			Freight in Freight In	\$3,500.00
			Prep / Reconditioning Machine Prep	\$640.00
			Customer Discount Promotional Discount	(\$7,720.00)
			Equipment Subtotal:	\$57,801.00

Purchase Order Totals

Balance:	\$57,801.00
CA STATE TAX:	\$3,468.06
CA COUNTY TAX:	\$144.50
CA CITY TAX:	\$578.01
CA SPECIAL TAX:	\$867.02
Sales Tax Total:	\$5,057.59
PrePaid Tax License:	\$72.00
CA Tire Fee:	\$7.00
Sub Total:	\$62,937.59
Cash with Order:	\$0.00
Balance Due:	\$62,937.59


Equipment Options

Qty	Serial Number	Year / Make / Model	Description
1	TBD	2021 VACTRON LP573XDT	LPXDT1004 LP 500-9,995GVWR DE-RATED 2Z1-- GAL WTR TANKS LPXDT3520 HYDRAULIC JACK LPXDT4010 STRONG ARM BOOM

LP XDT VACUUM EXCAVATOR



CV5 (CYCLONE 4-WAY VALVE SILENCER) FILTRATION SYSTEM. .5-micron filtration. The CV5 filter housing also contains the 4-way valve for reverse pressure and an oversized silencer for quiet operation. The silencer is located inside the 28-in (71-cm) diameter cyclone.



REAR HYDRAULIC CLAW DOOR. Rear hydraulic claw door has an over-center locking mechanism for a no-fuss positive lock and unlock.




I BEAM TRAILER. Units are built from start to finish at our factory, including the trailer which consists of a sturdy I beam construction.



STRONG ARM (OPTION). With 270-degree rotation, the strong arm supports the weight of the vacuum hose, and the roller head makes handling efficient by allowing smooth, fluid movements and adjustments.



SIDE HOSE AND TOOLING (SHT) STORAGE (OPTION). The new SHT package allows for 60 ft (18 m) of suction hose storage on a trailer-mounted unit. This doubles the traditional 30-ft (9-m) hose storage on all other brands.



FLOWMASTER (OPTION). The FlowMaster option can be used to hydraulically exercise water valves and hydrants making sure they will work properly in times of need.





VERMEER.COM



EQUIPPED TO DO MORE.

LP XDT VACUUM EXCAVATOR

DIMENSIONS - TRAILER	573	573 Heavy	873	873 Heavy	1273
Length	231 in (586.7 cm)	231 in (586.7 cm)	268.8 in (682.8 cm)	268.8 in (682.8 cm)	265 in (673.1 cm)
Width	92 in (234 cm)	97 in (246 cm)	92 in (234 cm)	102 in (259 cm)	102 in (259 cm)
Height	95 in (241 cm)	95 in (241 cm)	95 in (241 cm)	95 in (241 cm)	122 in (310 cm)
Empty weight	6,300 lb (2,858 kg)	6,300 lb (2,858 kg)	7,400 lb (3,357 kg)	7,500 lb (3,402 kg)	9,400 lb (4,264 kg)
GVWR	9,995 lb (4,533 kg) / 12,000 lb (5,443 kg)	14,000 lb (6,350.3 kg)	14,000 lb (6,350.3 kg)	20,000 lb (9,071.8 kg)	24,000 lb (10,886.2 kg)
Trailer axles	(2) 7,000 lb (3,175 kg)	(2) 7,000 lb (3,175 kg)	(2) 7,000 lb (3,175 kg)	(2) 10,000 lb (4,535.9 kg)	(2) 12,000 lb (5,443.1 kg)
ENGINE					
Make and model	Kohler diesel Tier 4 Final	Kohler diesel Tier 4 Final	Kohler diesel Tier 4 Final	Kohler diesel Tier 4 Final	Kohler diesel Tier 4 Final
Horsepower	24 hp (17.9 kW)	24 hp (17.9 kW)	24 hp (17.9 kW)	24 hp (17.9 kW)	24 hp (17.9 kW)
Fuel tank capacity	30 gal (113.5 L)	30 gal (113.5 L)	30 gal (113.5 L)	30 gal (113.5 L)	30 gal (113.5 L)
Enclosure	Yes	Yes	Yes	Yes	Yes
WATER TANK					
Water tank capacity	200 gal (757.1 L)	300 gal (1,135.6 L)	200 gal (757.1 L)	400 gal (1,514.1 L)	400 gal (1,514.1 L)
Number of tanks	2	2	2	2	2
High pressure pump flow rate	4 gpm (15.1 L/min)	4 gpm (15.1 L/min)	4 gpm (15.1 L/min)	4 gpm (15.1 L/min)	4 gpm (15.1 L/min)
High pressure pump	3,000 psi (206.8 bar)	3,000 psi (206.8 bar)	3,000 psi (206.8 bar)	3,000 psi (206.8 bar)	3,000 psi (206.8 bar)
High pressure hose length	50 ft (15 m)	50 ft (15 m)	50 ft (15 m)	50 ft (15 m)	50 ft (15 m)
Low water shutoff	Yes	Yes	Yes	Yes	Yes
SPOIL TANK					
Spoil tank capacity	500 gal (1,892.7 L)	500 gal (1,892.7 L)	800 gal (3,028.3 L)	800 gal (3,028.3 L)	1,200 gal (4,542.5 L)
Door type	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Tank lift type	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic
VACUUM					
Type of filters	.5 micron	.5 micron	.5 micron	.5 micron	.5 micron
Hose length	30 ft (9.1 m)	30 ft (9.1 m)	30 ft (9.1 m)	30 ft (9.1 m)	30 ft (9.1 m)
Hose width	3 in (7.6 cm)	3 in (7.6 cm)	3 in (7.6 cm)	3 in (7.6 cm)	3 in (7.6 cm)
Vacuum	580 cfm (985 m ³ /hr)	580 cfm (985 m ³ /hr)	580 cfm (985 m ³ /hr)	580 cfm (985 m ³ /hr)	580 cfm (985 m ³ /hr)
Vacuum blower type	PD blower	PD blower	PD blower	PD blower	PD blower
Vacuum mercury	14 in hg (.4 bar)	14 in hg (.4 bar)	14 in hg (.4 bar)	14 in hg (.4 bar)	14 in hg (.4 bar)
CONTROL PANEL					
Controls	Curbside	Curbside	Curbside	Curbside	Curbside
Gauges	Analog	Analog	Analog	Analog	Analog

OPTIONS (FOR ALL)

- Strong arm
- Recirculation kit
- SHT package
- FlowMaster package
- Hydraulic jack

Vermeer



Vermeer MV Solutions, Inc. reserves the right to make changes in engineering, design, and specifications, and improvements, or discontinue manufacturing at any time without notice or obligation. Equipment shown is for illustrative purposes only and may display optional accessories or components specific to their global region. Please contact your local Vermeer dealer for more information on machine specifications. Vermeer and the Vermeer logo are trademarks of Vermeer Manufacturing Company in the U.S. and/or other countries. Kohler is a trademark of Kohler Co. © 2021 Vermeer MV Solutions, Inc. All Rights Reserved. Printed in the USA. Please recycle.

**EQUIPPED TO
DO MORE.**

Welcome to SLE | My Account | My Wishlist | Checkout | Log In

Contact | Finance | Chat | Text Us

There are 2 items in your cart.



Search entire store here

SLE EQUIPMENT



615-641-7720

Categories - Deals - Zero Turn Mowers - Concessions - Handhelds - Package Deals - Chainsaws - Trailers - Parts - Argo

Shopping Cart

(Continue Shopping)

Proceed to Checkout

Product Name	Unit Price	Qty	Subtotal
 BE TP-3013HM Trash Pump 3" 370 GPM Honda Engine GX390 Edit Standard Delivery	\$1,423.00	1 <input type="button" value="Update"/>	\$1,423.00
 Multiquip HD350 Discharge Hose - 3" x 50 Ft. NPT Couplers Edit Standard Ground Shipping	\$100.99	1 <input type="button" value="Update"/>	\$100.99

Subtotal \$1,523.99

Grand Total \$1,523.99

Proceed to Checkout

**PAGE LEFT
INTENTIONALLY
BLANK**