### CITY OF LATHROP

Department of Public Works


# DESIGN & CONSTRUCTION Standard Details



July 2024

### **Recycled Water**

Recycled Water-Sewer Separation Standards	RW-1
Recycled Water Caution Sign And Tag	RW-2



NOTE: DIMENSIONS ARE FROM OUTSIDE OF SEWER MAIN BELL TO OUTSIDE OF RECYCLED WATER (RW) LINE BELL. ALL CROSSINGS SHALL BE 90° WHERE POSSIBLE.

ZONE A/B: SEWER LINES WILL NOT BE PERMITTED IN THIS ZONE WITHOUT APPROVAL FROM THE CITY ENGINEER.

ZONE C: SEWER LINES MUST BE LOCATED A MINIMUM OF ONE (1) FOOT BELOW THE RW MAIN. NO ADAPTOR JOINTS WILL BE ALLOWED CLOSER THAN EIGHT (8) FEET TO THE RW MAIN.

NOTES: A 4—foot horizontal separation between RW main and potable water main, and between the RW main and sanitary sewer system. If a 4—ft separation is not possible, special construction methods should be Considered and approved by the City Engineer.

NOT TO SCALE




CITY OF LATHROP
DEPARTMENT OF PUBLIC WORKS
RECYCLED
WATER-SEWER
SEPARATION STANDARDS



## STANDARD DETAIL


Date: **JULY 2024**Drawing No:

**RW-1** 



#### NOTE:

- 1. SIGN BACKGROUND COLOR SHALL BE PURPLE (PANTONE 512) AND TEXT SHALL BE BLACK PER AWWA GUIDELINES.
- 2. SIGN POST SHALL BE 2' TALL TELESPAR POLE AND MINIMUM 2' FROM CONCRETE



4" CUIDADO

AGUA PROCESADA

NO BERER

**FRONT** 

**BACK** 

NOT TO SCALE

Approved by:

City Of Lathrop
City Engineer

No Revised Date

CITY OF LATHROP DEPARTMENT OF PUBLIC WORKS

RECYCLED WATER
CAUTION SIGN AND TAG



### STANDARD DETAIL

Date: **JULY 2024**Drawing No:

**RW-2**